PL Select MD-3 ATF Page 1 of 7

#### **PL Select MD-3 ATF**



Product Code 35510

MSDS Date 02/24/2010

# 1. Identification of the preparation and company

Preparation/Product Name PL Select MD-3 ATF

Product Code 35510

Company Name Petrolock, Inc.

45315 Trevor Avenue Lancaster, CA 93534

**Telephone No.** (661) 948-6044 **24 hour Emergency Telephone No.** (800) 633-8253 **General MSDS** (661) 948-6044

# 2. Hazard identification of the product

# Warning

#### **GHS Classification:**

Item	Category	Hazard
Flammability	Not classified	Not applicable
Acute Toxicity (mouth)	Not classified	Not applicable
Acute Toxicity (skin)	5	May be harmful in contact with skin
Acute Toxicity Not classified (inhalation)		Not applicable
Acute Toxicity (ingestion)	Not classified	Not applicable
Skin corrosion/irritation Not classified		Not applicable
Eye damage/irritation Not classified		Not applicable
Sensitization (respiratory)	Not classified	Not applicable

PL Select MD-3 ATF Page 2 of 7

Sensitization (skin)	Not classified	Not applicable
Germ toxicity	Not classified	Not applicable
Specific target organ systemic toxicity (single exposure)	1	No target organs for this category.
	2	No target organs for this category.
	3	No target organs for this category.
Specific target organ systemic Toxicity (repeated exposure)	1	No target organs for this category.
	2	No target organs for this category.
Aspiration hazard	Not classified	Not applicable
Harmfulness to aquatic Environment (acute)	Not classified	Not applicable
Harmfulness to aquatic Environment (long term effect)	Not classified	Not applicable
Carcinogenicity	Not classified	Not applicable
Reproductive Toxicity	Not classified	Not applicable
Organic Peroxide	Not classified	Not applicable

Safety Phrases: Not Applicable

## 3. Composition/information on ingredients

Mixture: Yes

Ingredient CAS Number Concentration

Petroleum distillates, hydrotreated heavy paraffinic 064742-54-7 <100

Contains no other ingredients now known to be hazardous as defined by OSHA 29 CFR 1910.1000(z)

#### 4. First aid measures

**Inhalation** Remove exposed person to fresh air. If breathing is labored, administer

oxygen and obtain immediate medical attention. If irritation persists or if

toxic symptoms are observed, get medical attention.

**Eye Contact** Flush with water at least 15 minutes. Get medical attention if eye

irritation develops or persists.

PL Select MD-3 ATF Page 3 of 7

**Skin Contact** Wash immediately with soap and water. Remove soiled clothing. Get

medical attention if irritation develops. Launder contaminated clothing.

**Ingestion** DO NOT INDUCE VOMITING. If conscious, give 2 glasses of water.

Get immediate medical attention.

#### 5. Fire-fighting measures

Flash Point °C 200

Slightly Combustible. May release flammable vapors when heated above flash point.

**Extinguishing** 

Media

Carbon Dioxide, dry chemical, or foam. Avoid using water.

**Combustion Products** 

Carbon monoxide and asphyxiants.

**Special Fire** 

Recommend SCBA. Use water only for cooling container. Water may

**Procedures** cause splattering, or transport the flame.

#### 6. Accidental release measures

Evacuate all non-essential personnel. Personal Protective Equipment must be worn, see PPE section 8 & 16. Remove sources of ignition. Prevent entry into sewers and waterways. Contain release, pick up free liquid for recycling or disposal. Residual liquid can be absorbed with inert material. Check DOT/CERCLA and other agencies for reporting requirements.

Prevent contamination to soil, waterway and sewer systems.

## 7. Handling and storage

**Handling** Avoid prolonged skin contact, breathing vapors, and contaminated

clothing. Use with adequate ventilation. Wear recommended protective equipment. Practice good personal hygiene after handling. Empty containers retain material residue. Do not cut, weld, braze, solder or

expose containers to other ignition sources.

Storage Store in closed containers of proper construction. Store away from

ignition sources and in areas of good ventilation.

## 8. Exposure controls and personal protection

**Exposure Limits** The PEL (OSHA) and the TLV (ACGIH) is 5 mg/m3 for oil mists.

**Ventilation** Use in areas of adequate ventilation. Use mechanical exhaust to

PL Select MD-3 ATF Page 4 of 7

control vapors or mists.

**Gloves** Nitrile or neoprene gloves are recommended.

**Eye Protection** Safety glasses, goggles, or face shield are recommended.

Respiratory Protection Use NIOSH/MSHA approved respirator with organic vapor cartridge and dust/mist cartridge is recommended if exposure limit is exceeded. Self-contained breathing apparatus is recommended for confined space

entry.

**Clothing** Long sleeve shirt and apron when potential for skin contact. Wear

neoprene or nitrile rubber boots when necessary to avoid contaminating

shoes.

#### 9. Physical and chemical properties

Appearance RED OILY LIQUID Odor Petroleum Odor

Flash Point  $^{\circ}$ C >200 Boiling Point  $^{\circ}$ C >300 VOC  $^{\circ}$  NIL pH n/d

Specific Gravity 0.862 Solubility in Water negligible

**Vapor Pressure** <0.01 mmHg@20 ° **Vapor Density** Heavier than air.

C

**Evaporation Point** less than ether

Flammability Materials classified as DOT Combustible Liquids (Flash Point > 141° F

and < 200° F) are not regulated by DOT in containers of 110 gallons, or

less for domestic shipments.

## 10. Stability and reactivity

Stability Material is normally stable at ambient temperature and pressure.

Conditions to

Do not store with strong oxidizing agents. Keep away from heat,

**Avoid** sparks, open flame, or all sources of ignition.

**Polymerization** Will not occur.

**Decomposition** Carbon dioxide, carbon monoxide.

#### 11. Toxicological information

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr
Petroleum distillates, hydrotreated heavy paraffinic		> 5,000, rabbit - Category: NA	

**Oral Toxicity** Swallowing material may cause irritation of the gastrointestinal lining,

nausea, vomiting, diarrhea, and abdominal pain.

**Eye Irritation** Not expected to cause eye irritation.

PL Select MD-3 ATF Page 5 of 7

#### **Skin Irritation**

Not expected to be a primary skin irritant. Prolonged or repetitive contact may cause irritation.

#### Carcinogenicity

CAS Number	Ingredient		
064742-54-7 Petroleum distillates, hydrotreated heavy paraffinic	OSHA	Select Carcinogen: No	
	NTP	Known: No; Suspected: No	
	paramine	II I	Group 1: No; Group 2A: No; Group 2B: No; Group 3: No; Group 4: No;
		California OSHA	Listed: No

# 12. Ecological information

This material is expected to have adverse effects on marine and plant life. Spills may contaminate drinking water.

#### 13. Disposal considerations

Consult federal, state and local regulations regarding disposal methods, recycle used oil. Do not contaminate used oil with solvents or other chemicals.

#### 14. Transport information

See 49 CFR part 171.8 through 178.510

Proper Shipping Oil, n.o.s

Name

Hazard ClassNot regulatedUN NoNot applicablePackaging GroupNot applicable

**Marine Pollutant** No

GHS Hazard Class Not applicable
GHS Shipping Not applicable

Information

IMDG Not Regulated

#### 15. Regulatory information

**TSCA:** All components of this product are listed on the United States TSCA

(Toxic Control Substance Act) Inventory.

RCRA: Not regulated

PL Select MD-3 ATF Page 6 of 7

SARA 311/312 (>0.1%): Not applicable Not applicable **SARA 313 (>0.1%): CERCLA (>0.1%):** Inventory - Canada - Non-Not applicable **Domestic Substances List** (NDSL): California Proposition 65 Cancer: (<0.01 %) Benzene Cadmium (<0.01 %) Lead (<0.01 %) **California Proposition 65 Developmental:** Benzene (<0.01 %) (<0.01 %) Cadmium (<0.01 %) Lead Toluene (<.0.1 %) **California Proposition 65 Female Reproductive:** Lead (<0.01 %) **California Proposition 65 Male** Reproductive: Benzene (<0.01 %) Cadmium (<0.01 %) Lead (<0.01 %) Inventory - Australia -**Inventory of Chemical Substances (AICS):** Petroleum distillates, hydrotreated heavy paraffinic **Inventory - Japan Existing and New Chemical Substances** (ENCS): Petroleum distillates, hydrotreated heavy paraffinic () **Korean Existing Chemicals Inventory:** Petroleum distillates, hydrotreated heavy paraffinic **Inventory of Existing Chemical Substances in China:** Petroleum distillates, hydrotreated heavy paraffinic **Philippines Inventory of** 

PL Select MD-3 ATF Page 7 of 7

# Chemicals and Chemical Substances (PICCS):

Petroleum distillates, hydrotreated heavy paraffinic

Taiwan List of Toxic Chemical Not applicable Substances regulated under Toxic Chemical Substances Control Act:

EU REACH: Annex XVII, Dangerous Substances and Preparations:

Petroleum distillates, hydrotreated heavy paraffinic

Inventory - European Union -European Inventory of Existing Commercial Chemical Substances (EINECS):

Automatic transmission fluid additive ()

Petroleum distillates, hydrotreated heavy paraffinic (265-157-1)

EU List of Notified Chemical Not applicable

**Substances (ELINCS):** 

Risk Phrases: Not Applicable

#### 16. Other information

**HMIS Health:** 1 **NFPA Health:** 1 1 1 Fire: Fire: **Physical** 0 **Reactivity:** 0 **Hazards:** PPE: C **Special Hazards:** 

This information has been compiled from sources considered to be dependable and is accurate to the best of Petrolock, Inc. knowledge. Petrolock, Inc. makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Petrolock, Inc. assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.